

Founder and Managing Director's Forum: Revolutionizing the Paint Industry with ARYAN PAINTS PRIVATE LIMITED

Dear Readers,

I am delighted to take this opportunity to share with you the incredible journey that led me to establish ARYAN PAINTS PRIVATE LIMITED, a company that stands for quality, affordability, and customer satisfaction. As the founder and managing director, I want to reflect on the path that brought us here and the vision that drives us forward. When I began my journey as a paint retailer, I found myself pondering over a common sentiment shared by many: the notion that established brands were synonymous with exorbitant prices. It was during these contemplative moments that the seeds of a new vision were sown – a vision to establish a company that would redefine the paint industry's landscape, offering unparalleled quality at budget-friendly prices.

The inception of ARYAN PAINTS PRIVATE LIMITED was not merely a business venture; it was a commitment to our customers' aspirations for premium paints without the premium price tag. The journey from being a paint retailer to the Founder and Managing Director of a company that stands for quality and affordability has been both transformative and rewarding.



Today, as I reflect upon the path we've traversed, I can't help but feel an overwhelming sense of contentment. ARYAN PAINTS PRIVATE LIMITED has risen to the occasion, fulfilling the promise we made to ourselves and to our customers. Our unwavering dedication to excellence has led to the birth of the Interlux brand – a brand that signifies not only high-quality paints but also affordability. Interlux, our flagship brand, embodies the values that have driven us from the very beginning. It represents the fusion of superior craftsmanship, cutting-edge technology, and a commitment to making quality paints accessible to everyone. Through rigorous research, innovation, and an unrelenting pursuit of perfection, we have managed to strike the perfect balance between cost-effectiveness and uncompromising quality.

Our odyssey didn't stop at mere aspirations; it was fueled by determination and a relentless pursuit of excellence. As we embarked on this voyage, we understood that quality is not an attribute to be taken lightly. Thus, we delved into sourcing the finest raw materials, ensuring that every product we offered was a testament to our commitment to superior quality. This relentless pursuit for perfection allowed us to build a portfolio that not only met but surpassed the expectations of our discerning customers. As the Founder and Managing Director, witnessing the impact that ARYAN PAINTS and the Interlux brand have had on the industry fills me with pride. We have not only disrupted the conventional norms but have also fostered a community of homeowners, contractors, and artists who share our belief in the power of exceptional paint. We are elated to see how our paints have adorned countless homes and businesses, bringing life and vibrancy to their walls. Witnessing the smiles our creations bring to people's faces is a testimony to the vision we set out to achieve.

Our success story is incomplete without acknowledging the faith and trust our channel partners/customers have placed in us. It's your encouragement that propels us to explore new horizons, innovate ceaselessly, and continue redefining industry standards. With your continued support, **ARYAN PAINTS PRIVATE LIMITED** and the **INTERLUX** brand will continue to thrive, bringing dreams to life through strokes of vibrant and enduring color.

Thank you for being part of our successful journey, and here's to a future painted in excellence. With heartfelt gratitude,

Ashok Verma

Founder and Managing Director ARYAN PAINTS PRIVATE LIMITED

About Us

Interlux Paints: The Brand of Quality

Our company has experienced an astounding growth rate of 200% recently, marking a significant achievement in our journey. This exceptional progress can be attributed to several factors, one of which is the successful implementation of tinting machines within our operations.

1935

Started as Lime Retailer in 1935

In 1935, we started as a small lime retail business in a busy marketplace. From a humble beginning, slowly we evolved by experimenting and adapting to the market needs.

1988

In 1988, Aryan Paints Pvt Limited was founded

We named our paint brand Aryan Paints
Pvt Limited in the year 1988. More
courage, hard work, and risk-taking added
up and we celebrated and shared every
moment as a family.

2007

Interlux brand registered

In 2007, we registered Interlux as a brand of paints and coatings with a stronghold in the paint industry.

2022

Interlux tinting machines

Our company has experienced an astounding growth rate of 200% recently, marking a significant achievement in our journey. This exceptional progress can be attributed to several factors, one of which is the successful implementation of tinting machines within our operations.

02

03

0

05

0

In 1975, became Paint Retailer

From 1935 to 1975, we grew from a limestone retailer to a paint retailer. Our commitment to using natural ingredients such as limestone has set us apart in the industry.

Overwhelming response for cement paints

Our cement paints' success in 1992 led to expanded facilities and product line, establishing us as a leading provider. We expanded to Rajasthan, Haryana, and Punjab.

Expanded to Delhi & Himachal Pradesh

Today Interlux is a trusted name for high-quality paints and expert advice. With big dreams, hard work and a great team, we have expanded to Delhi & Himachal Pradesh and we will be the premier painting solution in the country soon.

1975

1992

2018



INTRODUCING INTERLUX PAINTS

UNLEASH THE POWER OF COLORS





Color Arena

Unlock the Perfect Hue, Blend Your Dreams with Precision.

Introducing our game-changing automatic computerized color tinting machine, the future of paint customization! Say goodbye to manual color mixing and embrace the ultimate precision and efficiency that this cutting-edge technology brings to your fingertips.

Interlux color tining machine revolutionizes the way you create custom paint colors, offering unparalleled accuracy and consistency with just a few clicks. Designed with efficiency in mind, our machine streamlines the color tinting process, saving you valuable time and resources.

Primary Upsides:

Minimize product waste and optimize inventory management

Streamline your color tinting process and maximize efficiency.

user-friendly interface.


unlock limitless color possibilities

Enhanced Customer Experience

Portfolio

Water Based Products
Super Luxury Range
Interlux Majestic Super Luxury Interior Emulsion
Weather Defender Pro Hi-Tech Luxury Exterior Emulsion
Luxury Range
Signature Luxury Interior & Exterior Emulsion
Premium Range
Semi Gloss Luxury Interior & Exterior Emulsion
4 in 1 Premium Luxury Interior & Exterior Emulsion
Economical Range
Advance X-Coat Shyne Exterior Emulsion
X-Coat Shyne Exterior Emulsion
X-Coat Exterior Emulsion
Safe coat Interior Emulsion
Budget Range
Ultra Exterior Emulsion
Speed Ultra 9 Interior Emulsion
Distempers
Premium Acrylic Distempers
Celerio Acrylic Distempers
Speed Ultra 7 Oil Bond Distemper
Metallic Paint
Universal Stainer
Damp Lock

Under Coats Wall Primers Prime seal wall sealer Interior and exterior Advance Interior Wall Primer Interior Cement Primer Advance Exterior Wall Primer Exterior Primer Universal Primer Wall Putty Acrylic wall putty Universal Waterproof wall putty Interlux wall putty **Texture Paint Solvent Based Products** Hi-Gloss Enamel Interlux Hi-Performance Synthetic Enamel Primers Silver Coat Alumium Paint **Wood Coating** Wood Filler Silkwood interior and Exterior Interlux Body Solder Automotive Product Rubber Seal Compund









Majestic Super Luxury Interior Emulsion

Interlux Majestic Super Luxury Interior Emulsion is a high-quality paint with a luxurious finish. Designed for interior spaces, it enhances the aesthetics of any room. With a wide range of colors to choose from, you can personalize your living spaces. This premium emulsion delivers unparalleled quality, adding elegance to walls and ceilings.



Ultra Luxury Glossy Finish



Pure Acrylic Latex Emulsion



Highly washable



Dust Resistance



Ultra Durable Technology



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Ultra sheen

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 6-8 hours.

Coverage:

1 COAT: 270 – 310 sq.ft/ltr 2 COATS: 140 – 160 sq.ft/ltr

Recoat Time: 4-6 hours Dilution: 25% to 40% Dilution Shades: White and all bases are available Pack Sizes: 1, 4, 10 & 20 litres





Weather Defender Pro Hi-Tech Exterior Emulsion

Interlux Weather Defender Pro is a Hi-Tech Exterior Emulsion specifically formulated to protect and enhance the exterior surfaces of buildings. This advanced emulsion offers exceptional durability, weather resistance, and a luxurious finish, making it an ideal choice for those seeking long-lasting beauty and protection for their homes or commercial properties.



HD Finish



Pure Acrylic Latex Emulsion



Highly washable



Moisture Resistant



All Weather protection



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Ultra sheen

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 270 – 320 sq.ft/ltr 2 COATS: 140 – 160 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25% to 30% Dilution

Shades: White and all bases are available





Luxury Range





Signature Luxury Interior & Exterior Emulsion

Interlux Signature Luxury interior and Exterior emulsions are luxury paint products that offer superior quality, durability, and aesthetic appeal for both indoor and outdoor surfaces. This emulsion specifically designed to provide a luxurious finish, elevating the look and feel of residential or commercial spaces. It comes in both High Gloss and Matt Finish.



Highly Durable



Green Assure



Highly washable



Dust Resistant



Excellent Coverage



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: High sheen And Matt

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:


1 COAT : 260 – 290 sq.ft/ltr 2 COATS : 150 – 170 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25%-30% Dilution of Water

Shades: White and all bases are available





Premium Range





Semi Gloss Luxury Interior & Exterior Emulsion

Interlux Semi Gloss Luxury Interior & Exterior Emulsion is a high-quality paint product that offers a luxurious and durable finish for both interior and exterior surfaces. This emulsion is specially formulated to provide a subtle sheen, giving surfaces a sophisticated and polished appearance.



Highly Durable



Nature Friendly



Stain Repellent



Dust Resistant



Moisture Resistant



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Mid Sheen

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 210 – 230 sq.ft/ltr 2 COATS: 130 - 150 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25%-30% Dilution of Water

Shades: White and all bases are available



INTERLUX HULK:



Discover the excellence of Interlux Hulk, the premium emulsion designed to transform your walls with a sophisticated soft sheen finish. Perfect for both interior and exterior applications, Interlux Hulk combines aesthetic appeal with outstanding performance. Transform your living spaces with Interlux Hulk, the premium emulsion that brings together elegance, protection, and durability for an enduringly beautiful home.







Nature Friendly



Excellent Coverage



Dust Resistant



Moisture Resistant



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Mid Sheen

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 210 – 230 sq.ft/ltr 2 COATS: 130 - 150 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 30% to 50% Dilution of Water

Shades: White and all bases are available





4 in 1 Premium Luxury Interior & Exterior Emulsion

Interlux 4in1 Premium Interior and Exterior Emulsion is the epitome of excellence in paint products, providing the utmost quality, durability, and aesthetic appeal for both indoor and outdoor surfaces. Crafted with meticulous attention to detail, this emulsion offers a luxurious finish that adds a touch of sophistication and elegance to any space.



Highly Durable



Washable



Excellent Coverage



Dust Resistant



Moisture Resistant



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Soft Sheen and Matt

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:


1 COAT: 150 – 170 sq.ft/ltr 2 COATS: 90 – 110 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25%-30% Dilution of Water

Shades: White and all bases are available





INTERLUX AYODHYA:

Introducing Interlux Ayodhya, the ultimate emulsion for enhancing the charm of your interior and exterior walls. Designed for those who appreciate timeless elegance, Interlux Ayodhya offers a stunning finish that exudes sophistication and grace.







Nature Friendly



Excellent Coverage



Dust Resistant



Moisture Resistant



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Mid Sheen

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT : 140-160 sqr ft 2 COATS : 90-100 sqr ft

Recoat Time: 4-6 hours

Dilution: 30% to 50% Dilution of Water

Shades: White and all bases are available



Economic Range





Advance X-Coat Shyne Exterior Emulsion

Interlux Advance X-Coat Shyne is specialized exterior emulsion, expertly formulated to thrive in humid climates. Crafted with cutting-edge technology, this emulsion paint offers superior performance and durability, specifically tailored to withstand the challenges posed by high humidity levels.



Highly Durable



Nature Friendly



UV protection



Dust Resistant



Excellent Coverage



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Soft Sheen

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 140 – 160 sq.ft/ltr 2 COATS: 80 – 95 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25%-30% Dilution of Water

Shades: White and all bases are available



X-Coat Shyne Exterior Emulsion

Interlux X-Coat Shyne Exterior Emulsion is a good quality, water-based emulsion paint. Equipped with good coverage and good opacity formulation, it covers a larger area in same quantity of paint and its Anti-Peeling properties ensures that the paint film remains intact giving smooth finish to your walls.







Nature Friendly



Moisture Resistant



Dust Resistant



Excellent Coverage



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Soft Sheen

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 120 – 140 sq.ft/ltr 2 COATS: 70 – 90 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25%-30% Dilution of Water

Shades: White and all bases are available



X-Coat Exterior Emulsion

Interlux X-coat exterior emulsion paint is a high-performance coating designed specifically for outdoor surfaces. This durable and weather-resistant paint offers exceptional protection and aesthetics, ensuring that exteriors remain beautiful and well-maintained.







Nature Friendly



Moisture Resistant



Dust Resistant



Excellent Coverage



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt Finish

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 110 – 125 sq.ft/ltr 2 COATS: 70 – 90 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25%-30% Dilution of Water

Shades: White and all bases are available



Safe coat Interior Emulsion

Introducing our Budget Friendly Interlux Interior Emulsion, the perfect solution for those seeking to revitalize their living spaces without compromising on quality or budget. Designed with affordability in mind, this paint offers a cost-effective option for transforming your walls with a fresh, vibrant look.







Budget Friendly



Moisture Resistant



Dust Resistant



Excellent Coverage



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt Finish

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT : 110 - 120 sq.ft/ltr 2 COATS : 75 - 90 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 25%-30% Dilution of Water

Shades: White and all bases are available



Budget Range



Ultra **Exterior Emulsion**

Interlux Ultra Exterior emulsion paint is an economical high-performance coating specifically designed to protect and beautify outdoor surfaces. This professional-grade paint is formulated with advanced technology and weather-resistant properties to withstand the harsh elements of the outdoors.



Highly Durable



Nature Friendly



Moisture Resistant



Dust Resistant



Excellent Coverage



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt Finish

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 100 - 110 sq.ft/ltr

2 COATS: 65 – 80 sq.ft/ltr

Recoat Time : 4-6 hours **Dilution :** 25%-30% Dilution of Water

Shades: White and all bases are available



Speed Ultra 9 Interior Emulsion

Interlux Speed Ultra 9 is our Budget Interior Emulsion, a perfect blend of quality and affordability that brings elegance within reach for every home. Designed to cater to the needs of budget-conscious individuals, this emulsion offers a cost-effective solution without compromising on quality or style.







Green Assure



Budget Friendly



Dust Resistant



Excellent Coverage



Peeling and Cracking Resistant

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt Finish


Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:


1 COAT: 100 - 110 sq.ft/ltr 2 COATS: 60 - 85 sq.ft/ltr

Recoat Time : 4-6 hours **Dilution :** 25%-30% Dilution of Water

Shades: White and all bases are available



Distemper



Premium Acrylic Distemper

Interlux Premium Acrylic Distemper creates a subtle yet impactful statement on your walls with its luxurious matte finish. It adds depth and sophistication to any space, transforming it into a haven of refined beauty. The velvety texture exudes a sense of richness, inviting admiration from all who enter.



Fco friendly



Low VOC



Water Base



Budget Friendly



Good coverage

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt Finish

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 90-100 sq.ft/kg 2 COATS: 60 - 75 sq.ft/kg

Recoat Time: 4-6 hours **Dilution:** 30%-40% Dilution of Water

Shades: White and all bases are available

Pack Sizes: 5, 10 & 20 kg



Celerio Acrylic Distemper

Interlux Celerio Acrylic Distemper is a versatile and cost-effective solution for interior wall finishes. This paint option strikes the perfect balance between quality and affordability, making it a popular choice for both residential and commercial spaces.







Low VOC



Water Base



Budget Friendly



Good coverage

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt Finish

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT : 80 - 90 sq.ft/kg

2 COATS: 50 – 65 sq.ft/kg

Recoat Time: 4-6 hours Dilutio

Dilution: 30%-40% Dilution of Water

Shades: White and all bases are available

Pack Sizes: 10kg & 25kg



Speed Ultra 7 Oil Bond Distemper

Speed Ultra 7 Oil Bond Distemper combines the best of traditional distemper paint with the convenience of modern additives. It harnesses the beauty and charm of the past while offering improved adhesion and longevity. This ensures that your walls maintain their elegant appeal for years to come.







Low VOC



Water Base



Budget Friendly



Good coverage

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt Finish

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT : 70-80 sq.ft/kg

2 COATS: 45-60 sq.ft/kg

Recoat Time: 4-6 hours

Dilution: 30%-40% Dilution of Water

Shades: White and all bases are available

Pack Sizes: 5, 10 & 25kg



Metallic Paint Interior and Exterior

Interlux Metallic Paint is captivating choice that adds a touch of luxury and sophistication to any surface. This unique paint finish creates a shimmering effect, reminiscent of precious metals like gold, silver, bronze, and copper. With its radiant sheen and depth, metallic paint transforms ordinary spaces into extraordinary showcases.



Luminous Finish



Durable



Non-toxic



Lead Free



Waterproof



All Weather Protection

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Shimmering Finish

Drying Time: Single coat dries to the touch within 1-2 hours and Hard Dry within 24-48 hours.

Coverage:

1 COAT: 100 – 120 sq.ft/ltr

2 COATS: 80 - 90 sq.ft/ltr

Recoat Time: 4-6 hours

Dilution: 30%-40% Dilution of Water

Shades: Gold, Silver, Copper and Bronze

Pack Sizes: 100ml, 200ml, 500ml, 1 litre



Universal Stainer

Introducing the Universal Stainer, a revolutionary product that empowers you to create a world of vibrant and customized colours. This versatile Stainer is designed to be compatible with a wide range of paints and coatings, allowing you to transform any base into your desired shade, giving you complete control over your colour palette. Universal Stainer gives colours to all plastic emulsions, enamels, oil paints, and distempers. From glamorous interiors to eye-catching art projects, metallic paint adds a touch of opulence and intrigue. It enhances the ambiance of both residential and commercial spaces, making a bold statement in homes, hotels, restaurants, and galleries alike.



Superior tinting strength



Non-fading pigments



Great Consistency



Water-soluble



Non-toxic



Pocket Friendly

Shades: Fast Yellow, Fast red, Fast Blue, Fast Red, Fast Bright Red, Fast Yellow Green, Fast Violet, Yellow Oxide, Fast Black, Turkey Umber, Burnt Sienna, Fast White, and Red Oxide.

Pack Sizes: 50, 100, 200 ml



DAMP LOCK:

Introducing "Interlux Damp Lock" - the ultimate pre-putty waterproofing coat that guarantees a strong defense against moisture and ensures a flawless finish. Damp Lock is formulated with advanced acrylic polymers and reinforced with sturdy polyester fibers, forms a robust barrier that resists water penetration, ensuring your walls stay dry and free from water-related issues.







Excellent Adhesion



Versatile Compatibility with Various Surfaces



Prevents
Costly Repairs



Superior Waterproofing Performance



Anti-Efflorescence

Method of Application: Brush

Drying Time: 4-6 Hours

Dilution: 30%-40% Dilution of Water

Coverage: 20-25 Sq.Ft/Ltr

Shades: Transparent **Pack Sizes:** 1Ltr, 4Ltr





Wall Primers





Prime Seal Wall Sealer Interior & exterior

Interlux Prime Seal Interior and Exterior Wall Primer is a high-quality, versatile primer designed to provide a solid foundation for paint on both interior and exterior surfaces. It ensures optimal adhesion between the substrate and the paint. Prime seal minimizes surface imperfections, such as cracks, patches, and uneven textures, providing a smooth and uniform base for your topcoat



Superior Adhesion



Low VOC



Resists alkali formation



Blocks Stains



Outstanding Coverage



Anti-Peel performance

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt

Drying Time: 1hr. touch dry/ 12-24 hours Hard dry

Coverage: 200-270 Sq.Ft./Ltr./coat

Recoat Time : 5-6 hours **Dilution :** 40%- 50% Dilution of Water **Shades :** White



Advance Interior Wall Primer

Interlux Advance Interior Wall Primer is a premium-quality primer specially formulated to provide exceptional adhesion and coverage for interior surfaces. This primer acts as the foundation for a flawless paint finish, ensuring long-lasting durability and enhancing the overall appearance of your walls. Advance Interior Wall Primer is suitable for various interior surfaces, including drywall, plaster, wood, and previously painted walls.

Shades: White







Low VOC



Superior Adhesion



Superior Whiteness



Outstanding Coverage



Anti-Peel performance

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt

Drying Time: 1hr. touch dry/ 12-24 hours Hard dry

Recoat Time : 5-6 hours **Dilution :** 40% - 50% Dilution of Water

Coverage: 150-180 Sq.Ft./Ltr./coat



Interior Cement Primer

Interlux Interior Cement Primer is a specialized primer designed specifically for cement and masonry surfaces found in interior spaces. It is formulated to penetrate the porous surface of cement, concrete, brick, and other masonry materials, creating a smooth and uniform base.



Superior Adhesion



Superior Whiteness



Quick Drying



Lead Free



Outstanding Coverage



Anti-Peel performance

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level : Matt

Drying Time: 1hr. touch dry/ 12-24 hours Hard dry

Coverage: 150 - 200 Sq.Ft./Ltr./coat

Recoat Time: 5-6 hours

Dilution: 40%-50% Dilution of water

Shades: White

Pack Sizes: 1, 4, 10 & 20 litre



Advance Exterior Wall Primer

Designed to withstand the harsh outdoor elements, Advance Exterior Wall Primer creates a strong bond between the substrate and the topcoat. Advance Exterior Wall Primer acts as a shield, defending your building against moisture, UV rays, and harsh weather conditions.



Superior Adhesion



Anti Chalking



Quick Drying



Resists alkali formation



Outstanding Coverage



Anti-Peel performance

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt

Drying Time: 1hr. touch dry/ 12-24 hours Hard dry

Coverage: 180 - 250 Sq.Ft./Ltr./coat

Recoat Time: 5-6 hours **Dilution:** 40%-50% Dilution of Water

Shades: White **Pack Sizes:** 1, 4, 10 & 20 litre



Exterior Primer

Interlux Exterior Primer is the essential first step in achieving a professional and long-lasting paint finish on your exterior surfaces. It is designed to provide optimal adhesion, durability, and protection, this high-quality primer is specifically formulated for outdoor applications.



Anti Chalking



Enhances Colour Vibrancy



Quick Drying



Lead Free



Outstanding Coverage



Anti-Peel performance

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level : Matt

Coverage: 170-210 Sq.Ft./Ltr./coat

Drying Time: 1hr. touch dry/ 12-24 hours Hard dry

Recoat Time : 5-6 hours **Dilution :** 40%-50% Dilution of Water

Shades: White **Pack Sizes:** 1, 4, 10 & 20 litre



Universal Primer

Universal Wall Primer is a versatile and reliable primer designed to provide a solid foundation for a flawless paint finish on various interior and exterior wall surfaces. This primer is formulated to work on a wide range of substrates, including drywall, plaster, masonry, and previously painted walls.



Superior Adhesion



Resists alkali formation



Low VOC



Lead Free



Outstanding Coverage



Anti-Peel performance

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: Matt

Coverage: 120-150 Sq.Ft./Ltr./coat

Drying Time: 1hr. touch dry/ 12-24 hours Hard dry

Recoat Time: 5-6 hours Dilution: 40%-50% Dilution of Water Shades: White Pack Sizes: 1, 4, 10 & 20 litre



Wall Putty



Premium Acrylic wall putty

Interlux Premium Acrylic Wall Putty is a versatile and popular product used for filling cracks, holes, and surface imperfections on interior and exterior walls. This putty is specially formulated with acrylic resins, making it durable, easy to apply, and suitable for a variety of surfaces.



Excellent Adhesion



Easy Application



Quick Drying



Superior whiteness



Better coverage



Anti-Efflorescent

Method of Application: Putty Knife or Trowel

Gloss/Sheen Level: Smooth Matt Finish

Coverage: 25 Sq.Ft/Kg

Drying Time: 3-4 Hours

Recoat Time : 4-6 hours **Dilution :** Dilution of Water if Required **Shades :** White **Pack Sizes :** 1, 5, 10 & 20 Kg



Universal Waterproof wall putty

Interlux Universal Waterproof Wall Putty is a versatile and reliable product designed to provide exceptional waterproofing and surface preparation for interior and exterior walls. This specialized putty offers a high level of protection against water penetration, ensuring the longevity and durability of your walls. It functions as a surface filler, filling cracks, holes, and imperfections in walls.



Excellent Adhesion



Water Resistant



Quick Drying



Superior whiteness



Resists Peeling, Blistering, and Cracking



Non-toxic, odourless

Method of Application: Putty Knife or Trowel

Gloss/Sheen Level: Smooth Matt Finish

Coverage: 10-15 Sq.Ft/Kg

Drying Time: 3-4 Hours

Recoat Time: 6-8 hours **Dilution:** 30%-40% Dilution of Water **Shades:** White **Pack Sizes:** 20Kg, 40Kg



Interlux wall putty

Interlux Wall Putty is a high-performance product that provides excellent surface preparation and repair for interior and exterior walls. It is formulated with polymer additives, which enhance its adhesion, durability, and resistance to cracking and shrinkage.



Excellent Adhesion



Water Resistant



Quick Drying



Superior whiteness



Resists Peeling, Blistering, and Cracking



Non-toxic, odourless

Method of Application: Putty Knife or Trowel

Gloss/Sheen Level: Matt Finish

Coverage: 8-12 Sq.Ft/Kg

Drying Time: 3-4 Hours

Recoat Time : 4-6 hours **Dilution :** 30%-40% Dilution of Water **Shades :** White **Pack Sizes :** 20Kg, 40kg



Texture Paint

Introducing Interlux Texture Paint, where walls come to life with a touch of elegance and sophistication. Our Texture Paint, crafted to perfection for the modern discerning homeowner. Elevate interior design with rich, tactile finishes that add depth and character to every wall. Interlux Texture Paint offers a diverse selection of patterns and textures, from subtle ripples to bold embossed motifs, allowing you to personalize your living space and make a lasting impression.



Wide Range of Textures and Finishes



Adds Depth and Dimension to Walls



Enhances Aesthetics and Visual Appeal



Durable and Long-lasting



Easy Application Process



Low Maintenance Requirements

Method of Application: Trowel or Roller

Drying Time: 3-4 Hours

Recoat Time : 4-6 hours Finish : Horizontal Scratch, Vertical Scratch, Criss Cross, Rainfall

Coverage: 3 Sq.Ft/Kg

Pack Sizes: 20Kg, 25Kg, 30Kg



Solvent Based Products



Sliver Coat Aluminium Paint

Introducing our specially formulated Aluminium paint, 'Interlux Siver Coat' a true marvel in surface protection, enriched with leafing Aluminium pigment that creates a stunning metallic finish, adding a touch of elegance to any surface. Our Aluminium paint is thoughtfully packed in a dual container, ensuring the durability and freshness of the protective medium. It forms a resilient barrier that withstands the test of time, providing a high standard of protection for a wide variety of steel surfaces.



Ultimate Corrosion
Defense



Leafing Aluminium
Pigment



Interior & exterior durable



Brilliant Metallic Finish



No added lead, mercury, or chromium compounds

Method of Application: Brush or Spray		Finish: Bright, Smooth & Lustrous		Mixing Ratio By weight:
Drying Time: 3 Hours	Shades : Metallic Alu	minium	Comp. A - Medium = 900ml Coverage: 15-20 Sq.Mt/Ltr Comp. B - Paste = 100gm	Comp. A - Medium = 900ml Comp. B - Paste = 100gm
Recoat Time: 16 Hours	Dilution : 5%-10% Dilution of MTO		Flash Point: Above 30°C	Pack Sizes: 100ml, 200ml, 500ml, 1Ltr, 4Ltr, 20Ltr



Gloss Enamel

Unleash the brilliance of your space with Interlux Gloss Enamel, the ultimate choice for a stunning and high-gloss finish. This premium enamel is designed to transform surfaces into shining masterpieces. Gloss Enamel offers exceptional depth and richness, enhancing the visual appeal of any interior or exterior surface. Its lustrous finish creates a radiant sheen that exudes elegance and sophistication, elevating the aesthetics of your space to new heights.







Non Yellowing



Durable



Anti-Fungal



excellent adhesion



Quick Drying

Method of Application: Brush, Roller or Spray

Gloss/Sheen Level: High Gloss

Drying Time: 2-4 Hours touch dry/ 12-24 hours Hard dry

Shades: White and all Colors are available

Coverage:

1 Coat: 180 - 230 Sq.Ft./Ltr

2 Coats: 95 - 110 Sq.Ft/Ltr

Recoat Time: 5-6 hours

Dilution: 20%-30% dilution of MTO

Pack Sizes: 100ml, 200ml, 500ml, 1ltr, 4ltr, 10ltr & 20ltr



Hi-Performance Synthetic Enamel

Experience the ultimate in paint performance with Interlux Hi-Performance Synthetic Enamel, the go-to choice for professionals and discerning customers. Hi-Performance Synthetic Enamel is engineered with cutting-edge technology, ensuring superior adhesion and resistance to chipping, peeling, and cracking. It is built to withstand the toughest conditions, making it perfect for high-traffic areas, commercial spaces, and industrial applications.







Non Yellowing



Durable



Anti-Fungal



excellent adhesion



Quick Drying

Method of Application: Brush, Roller and Spray

Drying Time: 2-4 Hours touch dry/ 12-24 hours Hard dry

Gloss/Sheen Level: High Gloss

Shades: White and all Colors are available

Coverage:

1 Coat: 160 - 210 Sq.Ft./Ltr

2 Coats: 75 – 90 Sq.Ft/Ltr

Recoat Time: 5-6 hours **Dilution:** 20%-30% dilution of MTO

Pack Sizes: 100ml, 200ml, 500ml, 1ltr, 4ltr, 10ltr & 20ltr



Primers

Red Oxide Metal Primer

Interlux Red Oxide Metal Primer is a high-quality primer specifically formulated for metal surfaces. This primer provides excellent adhesion and corrosion resistance, making it an ideal choice for protecting and priming metal substrates from rust.

Shades: Red, Brown

White Primer Surfacer

Whether you're painting walls, ceilings, cabinets, or other surfaces, Interlux White Primer Surfacer is the go-to choice for achieving a pristine and visually stunning result.

Brown Primer Surfacer

Interlux Brown Primer Surfacer offers excellent hiding power, effectively concealing imperfections and creating a uniform base for your paint application. It is

Method of Application: Brush, Roller and Spray

Gloss/Sheen Level: Matt Finish

Drying Time: 2-4 Hours touch dry/ 12-24 hours Hard dry

Recoat Time: 6-8 hours **Dilution:** 20%-30% dilution of MTO **Pack Size**

Pack Sizes: 200ml, 500ml, 1ltr, 4ltr, 10ltr & 20ltr



Wood Coating



Wood Filler

Interlux Wood Filler offers exceptional adhesion, seamlessly filling cracks and gaps to restore the integrity of wood surfaces. Its easy-to-sand nature ensures a smooth finish, making it ideal for flawless repairs and seamless blending. Versatile and reliable, our Wood Filler is perfect for repairing furniture, cabinets, trim, and any other wooden surfaces.



Superior Adhesion



Durable and Long-lasting



Quick Drying Time



Natural Wood Look



Easy-to-Sand for a Smooth Finish



Seamless Filling of Cracks and Gaps

Method of Application: Knife

Gloss/Sheen Level : Matt Finish

Drying Time: 20 minutes Touch dry/ 4 Hours Hard Dry

Gravity: 1.70 Kg/LIT[0.025]



Silkwood Interior & Exterior

Interlux Silkwood Finish is the ultimate choice for enhancing and protecting wooden surfaces. Specially formulated for both interior and exterior use, this premium wood finish offers exceptional durability, beauty, and weather resistance. Interlux Silkwood Finish is the final touch that adds warmth, beauty, and protection to wooden surfaces in your living spaces. This specialized product enhances the natural grain and colour of the wood, creating a stunning visual appeal that complements any interior style.



Versatility for Interior and Exterior Use



Durable Protection against the Elements



Quick Drying for Efficient Project Completion



UV Resistance for Long-lasting Colour Retention



Moisture Resistance to Prevent Warping and Cracking



Smooth and Silky Finish for a Luxurious Appearance

Method of Application: Knife

Coverage: 100 - 120 Sq.Ft/Ltr/Coat

Stability of thinned paint: To be used within 24 hours

Pack Sizes: 200ml, 500ml, 1ltr, 4ltr

Shelf Life: 3 years from date of manufacture in original tightly closed container away from direct sunlight and extensive heat.

Flash point: Above 30°C (86°F)

Drying Time: Surface dry time 60 minutes.

Gloss levels: 80% minimum (Glossy) and 15-25% (Matt) on coated wooden pannel at 60° Gloss Head.





Interlux Body Solder

Achieve flawless automotive product repairs with Interlux body solder, the ultimate solution for smoothing out dents, gaps, and imperfections on body panels. Our high-quality formulation ensures long-lasting durability and a seamless finish that will impress even the most discerning car enthusiasts. Experience the versatility of our body solder, allowing you to shape and mold it to match the contours of your vehicle's body panels. With the right tools and techniques, our solder creates a seamless surface that blends seamlessly with the surrounding metal, restoring your car's appearance to its original glory.

Rubber Seal Compound

Interlux Rubber Seal Compound is commonly used in the automotive industry for sealing windows, windshields, sunroofs, and doors. It helps to prevent water, air, and dust infiltration, ensuring a tight and secure seal.



Seamless Repair



Durability



Excellent Adhesion



Shaping and Sculpting



Versatility

Method of Application: Knife Gloss/Sheen Level: Matt Finish Melting Point: 180°C (356°F) to 200°C (392°F)

Shades: Green Pack Sizes: 1Kg



Paint Remover

Interlux paint remover is specially formulated to tackle even the toughest layers of paint. With its powerful chemical composition, it penetrates deep into the paint, making it easy to strip away without damaging the underlying surface. It is formulated with consideration for user safety and environmental impact.



Efficient Paint Stripping



Minimizes Surface Damage



Time-Saving Solution



Safe and User-Friendly



Environmentally Conscious

Shade: Faint Yellow Cast

Boiling Point: 104°F

Solubility: (weight % in water) 2.0g

Pack Sizes: 1Ltr

Flash Point: None to Boiling Vapor Pressure: (mmHg) @ 20°C=350 VOC Vapor Pressure: (mmHg) @ 20°C



Inetrlux Coured App



Introducing Interlux Coured App, the cutting-edge solution that seamlessly connects our dealers with us while revolutionizing coupon redemption!

With Interlux Coured App, dealers experience a game-changing approach to coupon management. Say goodbye to manual coupon handling and embrace the ease of digitalization. Our user-friendly app allows dealers to effortlessly scan and redeem coupons, ensuring a smooth and efficient process. By integrating with our company's system, Interlux Coured App offers real-time validation, reducing errors and fraud risks.

Saarthi by Interlux App

Introducing Saarthi - The Ultimate Connection between Painters and Interlux!

Welcome to Saarthi, where creativity meets precision, and wall painters find their perfect partner in Interlux! Our user friendly app bridges the gap between talented painters and the renowned Paint manufacturing company, Interlux. Embrace a world of vibrant possibilities as Saarthi empowers painters to showcase their skills while Interlux provides the finest paints for every stroke. Join us now and unlock a colorful canvas of opportunities with Saarthi and Interlux!







Our Warehouses

Near New York Palace, Adhoya Road, Barara, Ambala- 133201 Haryana 1A/227, NIT, Faridabad- 121001 Haryana





